

4 5 6 1 2 3 = + X M+

YARD  
IVAL.  
OR AT

SAND & GRAVEL

CONT. REG. # ELLEN CP 225 DP

CUSTOMER IS RESPONSIBLE FOR  
PROVIDING ACCEPTABLE WASHDOWN AREA.

SOLD TO:

GRAHAM CONTRACTING LTD  
558 1st AVE S  
SEATTLE WA 98104

YAKIMA RIVER BRIDGES I 90

SHIP TO:

MM 102 *East* bound C9214

98844

*Truck # 1*  
*154 SEQ # 2*

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
08:04	313B	5.00	25.00		169	0.00 <i>115</i>	23609
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
07/10/2020	3200023421		5.00			5.00	

**WARNING**  
IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS FORM.

LOAD RECEIVED BY:

QUANTITY	CODE	DESCRIPTION
5.00	313B	4000D HPC W-SRA
5.00	4	ENVIRONMENTAL FEE

*Revs 115*

*sampled 8:55*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
				1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER
LEFT PLANT	ARRIVED JOB	START UNLOADING		
<i>0814</i>	<i>844</i>			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
			CEM01: R-TIL-20-06	
			CEM02: 6-20-CLASS F	

GRAND TOTAL

BATCH DATA

Date/Time 07/10/2020 08:07 Ticket 23609 Truck 169 MixCode 313B Customer Name/Id GRAHAM CONTRACTING

Material	33D	Target	Actual	Unit	Var%	WatC	Moist	Load
1 1/2	732	3,660	3,660	lb	0.0	0.00	0.00m	Return
3/4	1128	5,668	5,700	lb	0.6	3.40	0.50m	Mix 313B
SAND	1163	6,032	6,040	lb	0.1	27.62	3.74m	Mix Water
CEM01	450	2,250	2,235	lb	-0.7			Trim Water
CEM02	130	650	640	lb	-1.5			Truck
* WAT01	0.00	0.00	0.00	gal				Act Water
* WAT02	20.00	110.77	112.00	gal	1.1			Add Water
MEAE90	6.90	34.50	35.00	oz	1.4			Mix Water
MWRA	23.00	115.00	116.00	oz	0.9			Act Water

WEIGHMASTER SIGNATURE X



2121 Highway 97  
P.O. BOX 938  
ELLENSBURG, WASHINGTON 98926

PHONE 509-933-7050

818436

CRUSHED GRAVEL  
WASHED  
SAND & GRAVEL

# ELLENSBURG CEMENT PRODUCTS, INC.

## READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

PRICE ALLOWS 8 MINUTES PER YARD  
TO UNLOAD TRUCK AFTER ARRIVAL.  
ALL TIME OVER THIS CHARGED FOR AT  
CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR  
PROVIDING ACCEPTABLE WASHDOWN AREA.**

SOLD TO:

GRAHAM CONTRACTING LTD  
568 1st AVE S  
SEATTLE WA 98104

YAKIMA RIVER BRIDGES I 90

SHIP TO:

MM 102 eastbound  
back in from east end  
VERIFY DESIGNATED WASHOUT

C9214

98844

Truck #2  
154 SEQ 2

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
08:44	213B	5.00	25.00		152 155	0.00	23611
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
07/10/2020	3200023422		10.00			5.00	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND  
UNDERSTAND ALL  
WARNINGS, PROPERTY  
DAMAGE RELEASE  
INFORMATION AND  
WARRANTY INFORMATION  
ON THE REVERSE SIDE OF  
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE  
READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE  
AND WARRANTY INFORMATION ON THE REVERSE SIDE OF  
FORM.

LOAD RECEIVED BY:

X

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.00	313B	40000 RMC W-SRA		
5.00	4	ENVIRONMENTAL FEE		

1st Truck washout  
@ 9:45

Arrived @ Job @ 9:30 AM  
Scheduled TO Arrive 9:40 AM - 10 min Early  
Started pouring 9:52 AM

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
				1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER
LEFT PLANT	ARRIVED JOB	START UNLOADING		
9:00				
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
			CEM01: R-TIL-20-06	
			CEM02: 6-20-CLASS F	

Added 3 Gal  
started washout 10:30  
Subtotal:  
Tax:  
Total:  
Tined out

**GRAND TOTAL**

### BATCH DATA

Date/Time	Ticket	Truck	MixCode	Customer Name/Id	98844				
07/10/2020 08:47	23611	152	313B	GRAHAM CONTRACTING LTD					
Material	3SD	Target	Actual	Unit	Var#	WatC	Moist	Load	5.00
1/2	732	3,660	3,660	lb	0.0	0.00	0.00m	Returned	0.00
3/4	1123	5,668	5,620	lb	-0.9	3.40	0.50m	Mix Slump	5.00
AND	1163	6,034	6,000	lb	-0.6	27.35	3.78a	Mix Wat (GL)	112.00
EM01	450	2,250	2,245	lb	-0.2			Trim Wat (GL)	0.00
EM02	130	650	645	lb	-0.8			Truck Wat (GL)	0.00
AT01	0.00	0.00	0.00	gal				Act Wat (GL)	142.56
AT02	28.00	110.44	112.00	gal	1.4			Add Wat (GL)	-3.04
BAE90	6.90	34.50	35.00	oz	1.4			Mix Wt/Cm	0.4025
WRA	23.00	115.00	120.00	oz	4.3				

2890

X = 295  
2890

X = 149 GAL

WEIGHMASTER SIGNATURE

X



PHONE 509-933-7050

# ELLENSBURG CEMENT PRODUCTS, INC.

PRICE ALLOWS 8 MINUTES PER YARD  
TO UNLOAD TRUCK AFTER ARRIVAL.  
ALL TIME OVER THIS CHARGED FOR AT  
CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR  
PROVIDING ACCEPTABLE WASHDOWN AREA.**

## READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

SOLD TO:

GRAHAM CONTRACTING LTD  
568 1st AVE S  
SEATTLE WA 98104

98844

CRUSHED GRAVEL  
WASHED  
SAND & GRAVEL

YAKIMA RIVER BRIDGES I 90

SHIP TO:

MM 102 eastbound **C9214**  
back in from east and  
VERIFY DESIGNATED WASHOUT

**154 SEQ 2**  
**Truck # 3**

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
09:15	313B	5.00	25.00		158	0.00	23612
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
07/10/2020	3200023428		15.00			4.50	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND  
UNDERSTAND ALL  
WARNINGS, PROPERTY  
DAMAGE RELEASE  
INFORMATION AND  
WARRANTY INFORMATION  
ON THE REVERSE SIDE OF  
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE  
READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE  
AND WARRANTY INFORMATION ON THE REVERSE SIDE OF  
FORM.

LOAD RECEIVED BY:

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.00	313B	40000 HPC W-3RA		
5.00	4	ENVIRONMENTAL FEE		

**Truck Arrived 10:00 AM**  
**Scheduled for 10:20 AM**  
**Started Paving**

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
				1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER
LEFT PLANT	ARRIVED JOB	START UNLOADING		
9:30	10:00			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
				CEM01: R-TIL-10-06 CEM02: 6-28-CLASS F

Subtotal:

Tax:

Total:

**GRAND TOTAL ▶**

### BATCH DATA

Date/Time	Ticket	Truck	MixCode	Customer Name/Id	98844					
07/10/2020 09:19	23612	158	313B	GRAHAM CONTRACTING LTD						
Material	33D	Target	Actual	Unit	Var#	WatC	Moist			
1 1/2	732	2,660	3,640	lb	-0.5	0.00	0.00m	Load		5.00
3/4	1128	5,668	5,620	lb	-0.9	3.40	0.50m	Returned		0.00
SAND	1163	6,034	5,980	lb	-0.9	27.28	3.77m	Mix Slump		4.50
CEM01	450	2,250	2,235	lb	-0.7			Mix Wat (GL)		109.00
CEM02	130	650	660	lb	1.5			Trim Wat (GL)		0.00
WAT01	0.00	0.00	0.00	gal				Truck Wat (GL)		0.00
WAT02	28.00	107.99	109.00	gal	0.9			Act Wat (GL)		139.40
MEAE90	7.00	35.00	35.00	oz	0.0			Add Wat (GL)		0.36
MWRA	23.00	115.00	120.00	oz	4.3			Mix Wt/Cm		0.4026
								Act Wt/Cm		0.4016

**2895**

WEIGHMASTER SIGNATURE X

**max water = 149.26**

**max add = 0.01**



2121 Highway 97  
P.O. BOX 938  
ELLENSBURG, WASHINGTON 98926  
PHONE 509-933-7050

# ELLENSBURG CEMENT PRODUCTS, INC.

PRICE ALLOWS 8 MINUTES PER YARD  
TO UNLOAD TRUCK AFTER ARRIVAL.  
ALL TIME OVER THIS CHARGED FOR AT  
CURRENT RATES.

**CUSTOMER IS RESPONSIBLE FOR  
PROVIDING ACCEPTABLE WASHDOWN AREA.**

CRUSHED GRAVEL  
WASHED  
SAND & GRAVEL

## READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

SOLD TO:

GRAHAM CONTRACTING LTD  
568 1st AVE 3  
SEATTLE WA 98104

98844

*Truck #4  
154 SBR 2*

TAKIMA RIVER BRIDGES I 90

SHIP TO:

MM 102 eastbound  
back in from east end

*C9214*

VERIFY DESIGNATED WASHOUT

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
11:09	313B	5.00	25.00		152	0.00	23617
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
07/10/2020	3200023424		20.00			4.50	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND UNDERSTAND ALL WARNINGS, PROPERTY DAMAGE RELEASE INFORMATION AND WARRANTY INFORMATION ON THE REVERSE SIDE OF THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE AND WARRANTY INFORMATION ON THE REVERSE SIDE OF FORM.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.00	313B	4000D HPC W-SRA		
5.00	4	ENVIROMENTAL FEE		

*Add 5 GAL*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
				1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER
LEFT PLANT	ARRIVED JOB	START UNLOADING		
1119	1147	1150		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

Subtotal:

Tax:

Total:

**GRAND TOTAL**

### BATCH DATA

Date/Time 07/10/2020 11:12 Ticket 23617 Truck 152 MixCode 313B Customer Name/Id 98844 GRAHAM CONTRACTING LTD

Material	33D	Target	Actual	Unit	Var4	WatC	Moist	Load
1 1/2	732	3,660	3,640	lb	-0.5	0.00	0.00m	5.00
3/4	1128	5,668	5,640	lb	-0.5	3.40	0.50m	0.00
SAND	1163	6,029	6,080	lb	0.8	26.71	3.69a	4.50
CEM01	450	2,250	2,250	lb	0.0			108.00
CEM02	130	650	655	lb	0.8			0.00
WAT01	0.00	0.00	0.00	gal				0.00
WAT02	28.00	108.57	108.00	gal	-0.5			138.31
MEAE90	7.00	35.00	35.00	oz	0.0			1.93
MWRA	23.00	115.00	120.00	oz	4.3			0.4026
								0.3971

WEIGHMASTER SIGNATURE X



121 Highway 97  
P.O. BOX 938  
ELLENSBURG, WASHINGTON 98926  
PHONE 509-933-7050

# ELLENSBURG CEMENT PRODUCTS, INC.

PRICE ALLOWS 8 MINUTES PER YARD  
TO UNLOAD TRUCK AFTER ARRIVAL.  
ALL TIME OVER THIS CHARGED FOR AT  
CURRENT RATES.

818436

CRUSHED GRAVEL  
WASHED  
SAND & GRAVEL

## READY MIXED CONCRETE

CONT. REG. # ELLEN CP 225 DP

**CUSTOMER IS RESPONSIBLE FOR  
PROVIDING ACCEPTABLE WASHDOWN AREA.**

SOLD TO:

GRAHAM CONTRACTING LTD  
568 1st AVE S  
SEATTLE WA 98104

SHIP TO:

YAKIMA RIVER BRIDGES I 90

MM 102 eastbound  
back in from east end  
VERIFY DESIGNATED WASHOUT

C9214

98844

Truck # 5  
154 SEQ 2

TIME	MIX	LOAD SIZE	CY/M3 ORDERED	ZONE	DRIVER/TRUCK #	COUNTER START	TICKET #
11:54	313B	3.00	25.00		156	0.00	23618
DATE	P.O. #	LOAD #	CY/M3 DEL.	BATCH #	WATER TRIM	SLUMP	PLANT
07/10/2020	3200023425		25.00			4.50	

### WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP AWAY FROM CHILDREN

I HAVE READ AND  
UNDERSTAND ALL  
WARNINGS, PROPERTY  
DAMAGE RELEASE  
INFORMATION AND  
WARRANTY INFORMATION  
ON THE REVERSE SIDE OF  
THIS TICKET.

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE  
READ THE HEALTH WARNING NOTICE, DAMAGE RELEASE  
AND WARRANTY INFORMATION ON THE REVERSE SIDE OF  
FORM.

LOAD RECEIVED BY:

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.00	313B	40000 HPC W-SRA		
5.00	4	ENVIRONMENTAL FEE		

Keys

Arrived 12:35

Start discharge

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN
				1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER
LEFT PLANT	ARRIVED JOB	START UNLOADING		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
			CEM01: R-TIL-20-06	
			CEM02: 6-20-CLASS F	

Subtotal:

Tax:

Total:

**GRAND TOTAL**

### BATCH DATA

Date/Time	Ticket	Truck	MixCode	Customer Name/Id	98844				
07/10/2020 11:57	23618	156	313B	GRAHAM CONTRACTING LTD					
Material	3SD	Target	Actual	Unit	Var%	WatC	Moist	Load	5.00
1 1/2	732	3,660	3,680	lb	0.5	0.00	0.00m	Returned	0.00
3/4	1128	5,668	5,640	lb	-0.5	3.40	0.50m	Mix Slump	4.50
SAND	1183	6,023	6,040	lb	0.2	25.60	3.68m	Mix Wat (GL)	110.00
CEM01	450	2,250	2,250	lb	0.0			Trim Wat (GL)	0.00
CEM02	130	650	635	lb	-2.3			Truck Wat (GL)	0.00
WAT01	0.00	0.00	0.00	gal				Act Wat (GL)	140.03
WAT02	28.00	108.69	110.00	gal	1.2			Add Wat (GL)	-0.75
MBAE90	7.00	35.00	35.00	oz	0.0			Mix Wt/Cm	0.4026
MWRA	23.00	115.00	116.00	oz	0.9			Act Wt/Cm	0.4048